

ALPEGO



Catalogo Generale
General Catalogue
Catalogue Général

Gesamtkatalog
Catalogo General
Catálogo Geral

Γενικός καταλογος
Общий каталог
Katalog ogólny



ALPEGO, Your Partner In The Field


Be your **Partner** in the field: this is the Alpego's mission.

A **Partner** that provides not just machinery but high quality and constant innovation;

a **Partner** that gives to the customer service a central role in its offer;

a **Partner** who makes his work a passion.





FRESATRICI
ROTARY TILLERS
FRAISES ROTATIVES
BODENFRÄSEN
FRESADORAS6

FRESA
ФРЕЗЫ
ПОЧВЕННЫЕ ФРЕЗЫ
GLEBOGRYZARKI6

ERPICI ROTANTI
POWER HARROWS
HERSES ROTATIVES
KREISELEGGEN
GRADAS ROTATIVAS14

GRADE ROTATIVA
ΣΒΟΛΟΤΡΙΦΤΕΣ
АКТИВНЫЕ БОРОНЫ С ВЕРТИКАЛЬНЫМИ
РАБОЧИМИ ОРГАНАМИ
BRONY AKTYWNE14

PREPARATORI A DISCHI
DISC CULTIVATORS
DÉCHAUMEURS À DISQUES
KURZSCHEIBENEGGE
PREPARADOR A DISCOS20

PREPARADOR DE DISCOS
ΔΙΣΚΟΣΒΑΡΝΕΣ
ДИСКОВАЯ БОРОНА
KULTYWATORY TALERZOWE20

CULTIVATORI A DENTI
CULTIVATORS
DÉCHAUMEURS À DENTS
SCHWERE UNIVERSALGRUBBER
CULTIVADORES22

CULTIVADOR DE BRACOS
ΣΤΟΙΚΙΑΜΕ ΚΑΛΛΙΕΡΓΗΤΕΣ ΒΑΡΕΩΣ ΤΥΠΟΥ
ΚΟΥΛΤΙΒΑΤΟΡΕΣ ΣΕ ΖΥΒΧΑΤΥΜΙΑ
KULTYWATORY22

RIPUNTATORI
SUBSOILERS
DÉCOMPACTEURS
TIEFENLOCKERER
SUBSOLADORES24

SUBSOLADOR
ΥΠΕΒΑΦΟΚΑΛΛΙΕΡΓΗΤΕΣ
ГЛУБОКОРЫХЛИТЕЛИ
GLEBOSZE24

DISSODATORI
SUBSOILERS
DÉCOMPACTEURS
TIEFENLOCKERER
SUBSOLADORES28

SUBSOLADOR
ΥΠΕΒΑΦΟΚΑΛΛΙΕΡΓΗΤΕΣ
ГЛУБОКОРЫХЛИТЕЛИ
GLEBOSZE28

SEMINATRICI COMBinate PNEUMATICHE
PNEUMATIC COMBINED SEEDERS
COMBINÉS DE SEMIS PNEUMATIQUES
PNEUMATISCHE SÄKOMBINATIONEN
SEMBRADORAS COMBINADAS
PNEUMÁTICAS30

SEMEADOR COMBINADO PNEUMÁTICO
ΣΠΑΡΤΙΚΕΣ ΜΕ ΑΕΡΑ ΣΥΝΔΥΑΣΤΙΚΕΣ
СЕЯЛКИ С ПНЕВМАТИЧЕСКИЕ
КОМБИНИРОВАННЫЕ
NABUDOWANE SIEWNIKI PNEUMATYCZNE30

SISTEMI DI DISTRIBUZIONE
PNEUMATICI ANTERIORI
PNEUMATIC FRONT DISTRIBUTING SYSTEMS
SYSTEME DE DISTRIBUTION PNEUMATIQUE
AVANT
PNEUMATISCHE FRONTTANK
SISTEMA DE DISTRIBUCIÓN PNEUMÁTICO ANTE-
RIOR32

SISTEMAS DE DISTRIBUIÇÃO PNEUMÁTICO
DA FRENTE
ΕΜΠΡΟΣΘΙΑ ΣΥΣΤΗΜΑΤΑ ΔΙΑΝΟΜΗΣ ΜΕ ΑΕΡΑ
СИСТЕМА ДЛЯ РАСПРЕДЕЛЕНИЯ УДОБРЕНИЙ
С ПНЕВМАТИЧЕСКОЙ ПОДАЧЕЙ
SYSTEMY DYSTRYBUCCIJI OPONY
PRZEDNIE32

SEMINATRICE MICROGRANULARE
ELETTRONICA
ELECTRONIC MICRO-GRANULAR SEED-DRILL
SEMOIR MICROGRANULATEUR ELECTRONIQUE
ELEKTRONSCHES-MICROGRANULATSÄKOMBINATION
SEMBRADORA MICROGRANULO
ELECTRONICA34

SEMBRADORA MICROGRANULO ELECTRONICA
ΗΛΕΚΤΡΟΝΙΚΗ ΣΠΑΡΤΙΚΗ ΜΙΚΡΟΚΟΚΚΟΝ ΓΙΑ
ΧΛΩΡΟ-ΛΙΠΑΝΣΗ ΣΕ ΑΜΠΕΛΩΝΕΣ/ΟΠΟΡΩΝΕΣ
СЕЯЛКИ С ЭЛЕКТРОННЫМ
МИКРОГРАНУЛЯТОРОМ
СЕЯЛКА С МИКРОГРАНУЛЯТОРОМ С
ЭЛЕКТРИЧЕСКИМ ПРИВОДОМ34

TRINCIATRICI
FLAIL MOWERS
BROYEURS
MULCHGERÄTE
TRITURADORAS36

DESTROÇADORES
ΚΑΤΑΣΤΡΟΦΕΙΣ ΓΙΑ ΧΟΡΤΑ-ΚΛΑΔΙΑ
МУЛЬЧИРОВАТЕЛИ
KOSIARKI WIAKOWE36



**WE HAVE
CREATED A
COMPLETE
SYSTEM
BECAUSE
HAVING
THE BEST
STEEL
IS NOT
ENOUGH.**

The sticker "ALPEGO INSIDE" on all machines, certifies the **high quality** of Alpego's products. An union of **first quality materials**, **eco-sustainable coating** process and **certified welding** that guarantees an **exceptional durability and quality over the years**.





HIGH STRENGTH STEEL

All Alpego machines use the best **steel to reduce weight and increase work performance**, this maximizing both consumption and operating costs. This has a great impact on environmental sustainability as well.



ECO PAINTING

A unique system of its kind throughout Europe, which allows **each component to be painted with the most suitable process and in full respect for the environment**. The paints used, in fact, are water-based and powder-based and do **not produce emissions of VOC** (Volatile Organic Compounds).



CERTIFIED WELDING

For more than twenty years the exceptional **durability of Alpego structural components** has been guaranteed by the effectiveness of **welds made by highly qualified personnel in accordance with standardized processes certified by the National Welding Institute**.



FRESATRICI

ROTARY TILLER

FRAISES ROTATIVES

BODENFRÄSEN

FRESADORAS

FRESA

ΦΡΕΖΕΣ

ПОЧВЕННЫЕ ФРЕЗЫ

GLEBOGRYZARKI



FB

HP 50 | 100

	 mm	 mm	 HP	 mm	 n°	 PK3
FB-160	1500	1595	50-100	220	6	755
FB-180	1730	1830	55-100	220	6	820
FB-205	1910	2065	60-100	220	8	880
FB-230	2200	2290	65-100	220	8	940
FB-250	2440	2535	70-100	220	10	1015



FG

HP 75 | 160

	 mm	 mm	 HP	 mm	 n°	 PK3
FG-250 E	2440	2515	75-160	240	10	1270
FG-300 E	2910	3000	85-160	240	12	1405



FZ

HP 110 | 280

	 mm	 mm	 HP	 mm	 n°	 PK5
FZ-300	2930	3015	110-280	250	12	1850
FZ-360	3635	3719	120-280	250	14	2120
FZ-400	4020	4104	130-280	250	16	2375



FG-BIO

HP 75 | 160

	 mm	 mm	 HP	 mm	 n°	 PK5
FG-BIO 250	2440	2515	75-160	100	10	1300
FG-BIO 300	2910	3000	85-160	100	12	1340



LG

HP 75 | 170

	 mm	 mm	 HP	 mm	 n°	 PK3
LG-250	2440	2550	75-170	240	20	1255
LG-300	2910	3020	85-170	240	24	1400



LZ

HP 110 | 280

	 mm	 mm	 HP	 mm	 n°	 PK5
LZ-300	2930	3015	110-280	250	22	1830
LZ-400	4020	4104	130-280	250	32	2335



KG

HP 75 | 170

	 mm	 mm	 HP	 mm	 n°	 PK3
KG-250	2440	2550	75-170	240	20	1275
KG-300	2910	3020	85-170	240	24	1410



KZ

HP 110 | 280

	 mm	 mm	 HP	 mm	 n°	 PK5
KZ-300	2930	3015	110-280	250	22	1820
KZ-400	4020	4104	130-280	250	32	2335



INVERSA IG

HP 75 | 170

							
	mm	mm	HP	mm	n°	n°	PK3
IG-250 E	2440	2550	75-170	240	10	46	1390
IG-300 E	2910	3020	85-170	240	12	56	1600



INVERSA IZ

HP 110 | 280

							
	mm	mm	HP	mm	n°	n°	PK5
IZ-300	2930	3015	110-280	250	12	56	2040
IZ-360	3635	3719	120-280	250	14	68	2340
IZ-400	4020	4104	130-280	250	16	76	2515



POKER

HP 130 | 260

	 mm	 mm	 mm	 HP	 mm	 n°	 PK3
PF-360	2400	3720	3660	130-260	240	16	2180
PF-400	2400	4051	3995	140-260	240	16	2330
PF-460	2400	4525	4462	150-260	240	20	2580
PF-500	2400	4995	4940	160-260	240	20	2840



INVERSA POKER

HP 130 | 260

	 mm	 mm	 mm	 HP	 mm	 n°	 PK3
PI-360	2400	3720	3660	130-260	240	16	2960
PI-400	2400	4051	3995	140-260	240	16	3050
PI-460	2400	4525	4462	150-260	240	20	3180
PI-500	2400	4995	4995	160-260	240	20	3320



MATRIX

HP 250 | 500

	 mm	 mm	 HP	 PK3 - PK5
MX-600 + FZ-300	5900	2880	110-280	5585
MX-720 + FZ-360	7300	2880	120-280	6265
MX-600 + LZ-300	5900	2880	110-280	5530
MX-600 + KZ-300	5900	2880	110-280	5490
MX-600 + IZ-300	5900	2880	75-170	5950
MX-720 + IZ-360	7300	2880	85-170	6690





ERPICI ROTANTI

POWER HARROWS

HERSES ROTATIVES

KREISELEGGEN

GRADAS ROTATIVAS

GRADE ROTATIVA

ΣΒΩΛΟΤΡΙΦΤΕΣ

АКТИВНЫЕ БОРОНЫ С ВЕРТИКАЛЬНЫМИ РАБОЧИМИ ОРГАНАМИ

BRONY AKTYWNE



BV

HP 40 | 140

	 mm	 mm	 HP	 mm	 n°	 PK3
BV-140	1361	1385	40-120	250	5	630
BV-160	1596	1620	50-140	250	6	690
BV-180	1831	1855	55-140	250	7	765
BV-205	2066	2090	70-140	250	8	825



BE

HP 60 | 120

	 mm	 mm	 HP	 mm	 n°	 PK3
BE-230	2300	2300	60-120	250	9	890
BE-250	2500	2500	65-120	250	10	960
BE-300	2980	3000	70-120	250	12	1100



BF

HP 65 | 140

	 mm	 mm	 HP	 mm	 n°	 PK3
BF-250	2500	2500	65-140	250	10	1015
BF-300	2980	3000	75-140	250	12	1150



RM

HP 80 | 170

	 mm	 mm	 HP	 mm	 n°	 PK3 / PK4L
RM-300	2980	3000	80-150	280	12	1360
RM-350 SUPER	3480	3500	90-170	280	14	1670
RM-400 SUPER	3980	4000	100-170	280	16	1820



RK

HP 90 | 200

	 mm	 mm	 HP	 mm	 n°	 PK5
RK-300	2985	3000	90-200	280	12	1590
RK-350	3455	3500	100-200	280	14	1750
RK-400	4076	4000	120-200	280	16	2035

TWIN
FORCE



RMAX

HP 120 | 320

	 mm	 mm	 HP	 mm	 n°	 PK5
RMAX-300	2940	3000	120-320	300	12	1760
RMAX-350	3410	3500	130-320	300	14	1970
RMAX-400	4030	4000	140-320	300	16	2235

TWIN
FORCE



DJ

HP 90 | 220

	 mm	 mm	 HP	 mm	 n°	 PK3
DJ-360	3600	2500	90-180	250	14	1800
DJ-400	4000	2500	100-180	250	16	1970
DJ-460 SUPER	4600	2500	110-220	250	18	2170
DJ-500 SUPER	5000	2500	120-220	250	20	2290



DP

HP 120 | 270

	 mm	 mm	 HP	 mm	 n°	 PK5
DP-400	4000	2500	120-270	250	16	2470
DP-500	5000	2500	140-270	250	20	2780
DP-600	6000	2500	150-270	250	24	3090



DKTOP

HP 150 | 350

	 mm	 mm	 HP	 mm	 n°	 PK5
DK TOP-400	4032	2500	150-350	280	16	2770
DK TOP-450	4503	2500	155-350	280	18	2885
DK TOP-500	4971	2500	160-350	280	20	3100
DK TOP-600	5911	2500	175-350	280	24	3480

TWIN
FORCE



DMAX

HP 180 | 500

	 mm	 mm	 HP	 mm	 n°	 PK6
DMAX-450	4562	2500	180-440	300	18	3170
DMAX-500	5032	2500	180-440	300	20	3740
DMAX-600	5972	2500	200-440	300	24	4160
DMAX-700	6914	2500	250-500	300	28	4900
DMAX-800	7854	2500	280-500	300	32	5350

TWIN
FORCE





PREPARATORE A DISCHI

DISC CULTIVATOR
DÉCHAUMEURS À DISQUES
KURZSCHEIBENEGGE
PREPARADOR A DISCOS
PREPARADOR DE DISCOS
ΔΙΣΚΟΣΒΑΡΝΕΣ
ДИСКОВАЯ БОРОНА
KULTYWATORY TALERZOWE



MG

HP 120 | 220

						
	mm	mm	HP	mm	n°	PK6
MG-300	3000	3000	120-220	460	24	1450
MG-350	3500	3500	140-220	460	28	1650
MG-400	4000	4000	150-220	460	32	1850



MK

HP 120 | 330

						
	mm	mm	HP	mm	n°	PK6
MK-400	4000	2560	120-330	460	32	2520
MK-500	5000	2560	140-330	460	40	2880
MK-600	6000	2560	160-330	460	48	3220





COLTIVATORE A DENTI

CULTIVATORS

DÉCHAUMEURS A DENTS

SCHWERE UNIVERSALGRUBBER

CULTIVADORES

CULTIVADOR DE BRAÇOS

ΣΤΟΪΚΑΜΙ ΚΑΛΛΙΕΡΓΗΤΕΣ ΒΑΡΕΟΣ ΤΥΠΟΥ

КУЛЬТИВАТОРЫ С ЗУБЧАТЫМИ

KULTYWATORY



CAYMAN CA

HP 110 | 240

	 mm	 mm	 HP	 mm	 n°	 BR6
CA-300 TOP MECC	3000	2980	110-200	300	10	1710
CA-300 TOP SPRING	3000	2980	120-240	300	10	2160
CA-350 TOP MECC	3500	3490	130-200	300	12	1980
CA-350 TOP SPRING	3500	3490	140-240	300	12	2470



CAYMAN CF

HP 200 | 270

	 mm	 mm	 HP	 mm	 n°	 BR6
CF-400 TOP MECC	4000	2800	200-250	300	13	2740
CF-400 TOP SPRING	4000	2800	200-270	300	13	3340





RIPUNTATORI

SUBSOILERS

DÉCOMPACTEURS

TIEFENLOCKERER

SUBSOLADORES

SUBSOLADOR

ΥΠΕΔΑΦΟΚΑΛΙΕΡΓΗΤΕΣ

ГЛУБОКОРЫХЛИТЕЛИ

GŁĘBOSZE



K-DYNO

HP 50 | 130

	 mm	 mm	 HP	 mm	 n°	 M12	 H12
K-DYNO 3-160	1600	1575	50-130	510	1 + 2	770	780
K-DYNO 5-200	2000	2061	50-130	510	2 + 3	985	990
K-DYNO 5-250	2500	2480	60-130	510	2 + 3	1040	1045
K-DYNO 7-250	2500	2480	70-130	510	3 + 4	1175	1180
K-DYNO 7-300	3000	2975	80-130	510	3 + 4	1280	1285



K-EVO

HP 120 | 220

	 mm	 mm	 HP	 mm	 n°	 M12	 H12	 H22
K-EVO 5-250	2500	2505	120-180	580	2 + 3	1320	1330	1495
K-EVO 7-300	3000	3002	150-220	580	3 + 4	1540	1545	1720
K-EVO 7-350	3500	3494	160-220	580	3 + 4	-	-	1855



K-FORCE

HP 150 | 350

	 mm	 mm	 HP	 mm	 n°	 H22
K-FORCE 7-300	3000	3002	150-310	650	3+4	2125
K-FORCE 7-350	3500	3495	150-310	650	3+4	2255
K-FORCE 9-400	4000	3996	175-350	650	4+5	2610



K-EXTREME MEGA CRAKER

HP 200 | 500

	 mm	 mm	 HP	 mm	 n°	 H50
KX 9-410	4100	2600	200-400	650	4+5	3415
KX 11-500	5000	2600	295-500	650	5+6	3830



 HP 120 250								
	mm	mm	HP	mm	n°	M12	H12	H22
S1 5-250	2500	2505	120-200	580	2+3	1470	1485	1655
S1 7-300	3000	3002	130-230	580	3+4	1865	1875	2085
S1 7-350	3500	3495	130-250	580	3+4	-	-	2195



 HP 200 400						
	mm	mm	HP	mm	n°	H22
S2 7-300	3000	3002	200-335	650	3+4	2615
S2 7-350	3500	3495	200-335	650	3+4	2775
S2 9-400	4000	3996	270-400	650	4+5	3155





DISSODATORI

SUBSOILERS

DÉCOMPACTEURS

TIEFENLOCKERER

SUBSOLADORES

SUBSOLADOR

ΥΠΕΔΑΦΟΚΑΛΙΕΡΓΗΤΕΣ

ГЛУБОКОРЫХЛИТЕЛИ

GŁĘBOSZE



DELTA

HP 120 | 220

	 mm	 mm	 HP	 mm	 n°	 kg
DELTA-300	2900	2750	120-220	250	4	540
DELTA-400	4000	3800	120-220	250	6	660





SEMINATRICI COMBinate PNEUMATICHE

PNEUMATIC COMBINED SEEDERS
COMBINÉS DE SEMIS PNEUMATIQUES
PNEUMATISCHE SÄKOMBINATIONEN
SEMBRADORAS COMBINADAS PNEUMÁTICAS
SEMEADOR COMBINADO PNEUMÁTICO
ΣΠΑΡΤΙΚΕΣ ΜΕ ΑΕΡΑ ΣΥΝΔΥΑΣΤΙΚΕΣ
СЕЯЛКИ ПНЕВМАТИЧЕСКИЕ КОМБИНИРОВАННЫЕ
NABUDOWANE SIEWNIKI PNEUMATYCZNE



JET-M

	 mm	 n°
JET-M 300	3000	24
JET-M 350	3500	28



JET-X

	 mm	 n°
JET-X 300	3000	24
JET-X 350	3500	28
JET-X 400	4000	32





SISTEMI DI DISTRIBUZIONE PNEUMATICI ANTERIORI

PNEUMATIC FRONT DISTRIBUTING SYSTEMS

SYSTÈME DE DISTRIBUTION PNEUMATIQUE AVANT

PNEUMATISCHE FRONTTANK

SISTEMA DE DISTRIBUCIÓN NEUMÁTICO ANTERIOR

SISTEMAS DE DISTRIBUIÇÃO PNEUMÁTICO DA FRENTE

ΕΜΠΡΟΣΘΙΑ ΣΥΣΤΗΜΑΤΑ ΔΙΑΝΟΜΗΣ ΜΕ ΑΕΡΑ

СИСТЕМА ДЛЯ РАСПРЕДЕЛЕНИЯ УДОБРЕНИЙ С ПНЕВМАТИЧЕСКОЙ ПОДАЧЕЙ

SYSTEMY DYSTRYBUCJI OPONY PRZEDNIE



AS^{PRO}

	 mm	 mm	 n°
ASPro - 300	3000	3000	24
ASPro - 350	3500	3500	28
ASPro - 400	4000	4000	32
ASPro - 400	4000	2500	32
ASPro - 450	4500	2500	36
ASPro - 500	5000	2500	40
ASPro - 600	6000	2500	40
ASPro - 600	6000	2500	48



AS^{MAX}

	 mm	 mm	 n°
ASmaX - 600	6000	2500	40
ASmaX - 600	6000	2500	48
ASmaX - 700	7000	2500	54
ASmaX - 800	8000	2500	62
ASmaX - 400 BITUBE	4000	2500	32
ASmaX - 450 BITUBE	4500	2500	36
ASmaX - 500 BITUBE	5000	2500	40
ASmaX - 600 BITUBE	6000	2500	40
ASmaX - 600 BITUBE	6000	2500	48





SEMINATRICE MICROGRANULARE ELETTRONICA

ELECTRONIC MICRO-GRANULAR SEED-DRILL

SEMOIR MICROGRANULATEUR ELECTRONIQUE

ELEKTRONISCHE MICROGRANULAT SÄKOMBINATION

SEMRADORA MICROGRANULO ELECTRONICA

SEMRADORA MICROGRANULO ELECTRONICA

ΗΛΕΚΤΡΟΝΙΚΗ ΣΠΑΡΤΙΚΗ ΜΙΚΡΟΚΟΚΚΩΝ ΓΙΑ ΧΛΩΡΟ-ΛΙΠΑΝΣΗ ΣΕ ΑΜΠΕΛΩΝΕΣ/ΟΠΩΡΩΝΕΣ

СЕЯЛКИ С ЭЛЕКТРОННЫМ МИКРОГРАНУЛЯТОРОМ

СЕЯЛКА С МИКРОГРАНУЛЯТОРОМ С ЭЛЕКТРИЧЕСКИМ ПРИВОДОМ



APE

	 mm	 HP
APE-140	1400	40-100
APE-160	1600	47-100
APE-180	1800	50-100
APE-205	2050	55-120





TRINCIATRICI

FLAIL MOWERS

BROYEURS

MULCHGERÄTE

TRITURADORAS

DESTROÇADORES

ΚΑΤΑΣΤΡΟΦΕΙΣ ΓΙΑ ΧΟΡΤΑ-ΚΛΑΔΙΑ

МУЛЬЧИРОВАТЕЛИ


KOSIARKI BIJAKOWE



TR26

HP 40 | 80

	 mm	 mm	 HP	 n°	 hydr.
TR26-140	1400	1550	40-80	12	435
TR26-160	1600	1750	45-80	14	460
TR26-180C	1800	1950	50-80	14	500
TR26-200C	2100	2150	55-80	16	530



TR36

HP 45 | 100


	 mm	 mm	 HP	 n°	 hydr.
TR36-160	1600	1750	45-100	14	695
TR36-180	1800	1950	50-100	16	740
TR36-200	2000	2150	55-100	16	780
TR36-220	2200	2350	60-100	20	825
TR36-240	2400	2550	65-100	20	865
TR36-280M	2800	2950	70-100	24	965



TR46

HP 55 | 150


	 mm	 mm	 HP	 n°	 hydr.
TR46-200	2000	2150	55-150	16	890
TR46-220	2200	2350	60-150	20	980
TR46-240	2400	2550	65-150	20	1030
TR46-280CC	2800	2950	70-150	24	1140
TR46-310CC	3100	3250	70-150	28	1180



TT97

HP 80 | 160

	 mm	 mm	 HP	 n°	 n°	
TT97-280	2800	3000	80-160	30	60	1050
TT97-300	3000	3200	90-160	32	64	1100
TT97-320	3200	3400	100-160	34	68	1130



TL31

HP 55 | 130

	 mm	 mm	 HP	 n°	 KG
TL31-160	1600	1800	55-130	14	705
TL31-180	1800	2000	65-130	16	745
TL31-200	2000	2200	75-130	16	775
TL31-220	2200	2200	75-130	18	855



TL33

HP 55 | 130

	 mm	 mm	 HP	 n°	 KG
TL33-160	1600	2100	55-130	14	735
TL33-180	1800	2300	65-130	16	775
TL33-200	2000	2500	75-130	16	815
TL33-220	2200	2500	75-130	18	840



Choose only ALPEGO original SPARE PARTS



All data contained in this catalogue are given indicative and are not legally binding.

Q10A00410 - CATALOGO GENERALE
ALPEGO A5
Rev. 02 21/03/2022



Alpego S.p.a con Socio Unico
Via Giovanni e Giuseppe Ceninato, 9 / 36045 Lonigo (VI) Italy
Tel. +39 0444646100 / info@alpego.com / www.alpego.com

